

SAFETY DATA SHEET
ACCORDING TO Regulation (EC) No. 1907/2006**Date of Issue:** 18.11.2009**Version:** 3.1**Revision Date:** 23.11.2016**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**Product name: **SLAVIT V (ČR) – permitted explosive****1.2 Relevant identified uses of the substance or mixture and uses advised against**

Explosive for blasting operations. Do not use for other purposes.

1.3 Details of the supplier of the safety data sheet

Explosia a.s.	tel.:	+420 466 825 202
530 02 Pardubice - Semtin	fax:	+420 466 822 941
Czech Republic	e-mail:	sds@explosia.cz

1.4 Emergency telephone number

Producer:

tel.: +420 466 824 402

fax: +420 466 824 448

National advisory body:

Toxicological Information Centre (TIS): Hospital for Occupational Diseases, Na Bojišti 1171/1, 128 21 Prague 2, tel. 224 919 293, 224 915 402 or 224 914 575

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture****2.1.1 Classification according to Regulation (EC) No 1272/2008**

Expl. 1.1; H201

Acute Tox. 2; H310

Acute Tox. 3; H301+H331

STOT RE 2; H373

Eye Irrit. 2; H319

Aquatic Chronic 3; H412

2.1.2 Additional information

For full text of R-phrases and Hazard- and EU Hazard statements see section 16.

2.2 Label elements**Hazard pictograms:****Signal word:**

Danger.

Components of mixture for introducing on label:

-

Hazard statements:

H201 Explosive; mass explosion hazard.

Precautionary statements:

P501 Dispose of contents/container to national regulations for disposal of explosives.

Additional information on label:

-
Note:
Directive 1272/2008 stipulates in Annex 1, Art. 1.3.5 that explosives placed on the market with a view to obtaining an explosive or pyrotechnic effect shall be labelled and packaged in accordance with the requirements for explosives only, therefore the manufacturer marks the product on the basis of recommendations of the National Advisory Body with elements used for explosibility.

2.3 Other hazards

The product does not meet the criteria for PBT, vPvB.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**Description of the mixture:**

Mixture of ammonium nitrate, ethyleneglycol dinitrate, glycerol trinitrate, 2,4,6-trinitrotoluene, nitrocellulose and other components not classified as dangerous.

Hazardous ingredients:

Identification name	CAS No ES No Index No Registration No	Content %	Classification according to (ES) 1272/2008 (CLP)
Ammonium nitrate	6484-52-2 229-347-8 - 01-2119490981-27-	cca 53.0	Ox. Sol. 3; H272 Eye Irrit. 2; H319
Ethyleneglycol dinitrate	628-96-6 211-063-0 603-032-00-9 01-2119492860-31-XXXX	cca 6.3	Unst. Expl.; H200 Acute Tox. 1, H310 Acute Tox. 2, H300+H330 STOT RE 2; H373
Glycerol trinitrate	55-63-0 2000-240-8 603-034-00-X 01-2119488893-18-	cca 3.3	Unst. Expl., H200 Acute Tox. 1, H310 Acute Tox. 2, H300+H330 STOT RE 2, H373 Aquatic Chronic 2, H411
2,4,6-Trinitrotoluene	118-96-7 204-289-6 609-008-00-4 -	cca 4.0	Expl. 1.1, H201 Acute Tox. 3, H301+H311+H331 STOT RE 2, H373 Aquatic Chronic 2, H411
Nitrocellulose	9004-70-0 - 603-037-00-6 -	cca 0.27	Expl. 1.1; H201

For full text of R-phrases and Hazard- and EU Hazard statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General notes:**

In all cases keep the victim at physical and psychic rest and keep warm. Never give anything to an unconscious person. In heavy cases, always after contact with eyes and if swallowed, seek medical advice.

Following inhalation:

Break off the exposition. Move the victim to fresh air (not on the sun). If not breathing, give artificial respiration.

Following skin contact:

Remove contaminated clothing. Wash affected area with water and soap and use skin protective cream.

Following eye contact:

Rinse with water for at least 15 minutes. Move to the physician, while continue rinsing.

Following ingestion:

Rinse mouth with fresh water, give to drink some 0,2-0,3 l water containing active carbon (e.g. 5 tbs Carbsorb) and within not more than one hour induce vomiting (meaningless if induced later). Give active carbon repeatedly, no matter if the vomiting was induced or not. Seek medical advice. Do not induce vomiting in case of unconsciousness, convulsions or bad physical conditions.

4.2 Most important symptoms and effects, both acute and delayed

The mixture causes headaches, pain in abdomen, dizziness, nausea.

4.3 Indication of any immediate medical attention and special treatment needed

No data.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable extinguishing media: water spray. Adapt extinguishing media to the kind of fire.
Unsuitable extinguishing media: powders.

5.2 Special hazards arising from the substance or mixture

In case of burning: extreme danger of explosion. Try to prevent the spread of fire. If there is a danger of affecting the product by fire do not extinguish. Warn surroundings of danger of explosion and evacuate immediately to a safe distance.

In case of burning, toxic and irritant gases are formed.

5.3 Advice for fire-fighters

Self-contained breathing apparatus and protective clothing conforming to EN 469.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid the free movement of persons in contaminated area. Wear personal protective equipment. Avoid spreading of the product. Avoid contact of spilled material with open fire, electric sparks and aggressive chemical compounds.

6.2 Environmental precautions

Avoid discharge to surface- and groundwater. If it is not possible, inform police and fire-fighters.

6.3 Methods and material for containment and cleaning up

Sweep up spilled material and place in impermeable packages. Flush spill area with plenty of water. Dispose by explosion only in the place approved for disposal of explosives in accordance with national regulations relating to explosives.

6.4 Reference to other sections

More detailed disposal instructions see section 13, personal protective equipment see section 8.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Handle in accordance with regulations relating to explosives. Keep away from open flame, heat, do not eat, drink or smoke. Maximum care should be taken during handling (lifting, transferring, opening of containers) and transportation. Keep away from combustible material. Take precautionary measures against static discharges. Observe personal hygiene measures. Wear suitable protective clothing and gloves. Wash with water and soap thoroughly after handling. Ensure drink water for the first-aid.

7.2 Conditions for safe storage, including any incompatibilities

Store according to national regulations relating to explosives.

Maximum relative humidity 80 %. Recommended storage temperature -20 to +30 °C.

7.3 Specific end use(s)

Blasting operations. Observe safety regulations for processing of explosives.
To be used within 9 months after manufacturing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
8.1 Control parameters
8.1.1 Exposition limits according to Czech government statute No. 361/2007 Sb. in actual version

Occupational exposure limit values:

Substance / State	Long term mg/m ³	Short term mg/m ³
Glycerol trinitrate / Czech republic	PEL: 0.5	NPK-P: 1.0
Ethyleneglycol dinitrate / Czech republic	PEL: 0.5	NPK-P: 1.0
2,4,6-Trinitrotoluene / Czech republic	PEL: 0.3	NPK-P: 0.5

8.1.2 Monitoring procedures

To ensure observance of Czech government statute 361/2007 Sb. and to observe obligations included.

8.1.3 Biological limit values

Not determined in Czech Republic and European Union.

8.1.4 DNEL and PNEC values

Ammonium nitrate								CAS 6484-52-2
DNEL								
Users	Route of study		Effects		Time of exposure	Value		
Workers	Inhalation		Systemic effects		Long-term	37.6 mg/m ³		
Workers	Dermal		Systemic effects		Long-term	21.3 mg/kg/day		
General population	Inhalation		Systemic effects		Long-term	11.1 mg/m ³		
General population	Dermal		Systemic effects		Long-term	12.8 mg/kg/day		
General population	Oral		Systemic effects		Long-term	12.8 mg/kg/day		
PNEC								
Freshwater	Marine water	Intermittent releases	STP	Sediment (freshwater)	Sediment (marine water)	Soil	Secondary poisoning	
0.45 mg/l	0.045 mg/l	4.5 mg/l	18 mg/l	not available	not available	not available	No potential	

Glycerol trinitrate								CAS 55-63-0
DNEL								
Users	Route of study		Effects		Time of exposure	Value		
Workers	Dermal		Systemic effects		Long-term	0.5 mg/kg/day		
Workers	Dermal		Systemic effects		Acute/short term	2.5 mg/kg/day		
General population	Oral		Systemic effects		Long-term	0.5 mg/kg/day		
PNEC								
Freshwater	Marine water	Intermittent releases	STP	Sediment (freshwater)	Sediment (marine water)	Soil	Secondary poisoning	
0.0198 mg/l	not available	0.0198 mg/l	not available	not available	not available	not available	No potential	

Ethyleneglycol dinitrate								CAS 628-96-9
DNEL								
Users	Route of study		Effects		Time of exposure	Value		
Workers	Inhalation		Systemic effects		Long-term	0.085 mg/m ³		
Workers	Dermal		Systemic effects		Long-term	0.06 mg/kg/day		
General population	Inhalation		Systemic effects		Long-term	0.043 mg/m ³		
General population	Oral		Systemic effects		Long-term	0.015 mg/kg/day		
General population	Oral		Systemic effects		Acute/short term	0.015 mg/kg/day		
PNEC								
Freshwater	Marine water	Intermittent releases	STP	Sediment (freshwater)	Sediment (marine water)	Soil		
0.003 mg/l	0.0003 mg/l	0.019 mg/l	1.3 mg/l	0.004 mg/kg	0.0004 mg/kg	0.0025 mg/kg		

2,4,6-trinitrotoluen							CAS 118-96-7
DNEL							
Users		Route of study		Effects		Time of exposure	Value
Workers		Inhalation		Systemic effects		Long-term	0,035 mg/m ³
Workers		Dermal		Systemic effects		Long-term	0,01 mg/kg/day
General population		Inhalation		Systemic effects		Long-term	0,0086 mg/m ³
General population		Dermal		Systemic effects		Long-term	0,005 mg/kg/day
General population		Oral		Systemic effects		Long-term	0,005 mg/kg/day
PNEC							
Freshwater	Marine water	Intermittent releases	STP	Sediment (freshwater)	Sediment (marine water)	Soil	Secondary poisoning
0.32 µg/l	0.0656 µg/l	1.9 µg/l	0.2 µg/l	0.0026 mg/kg	0.52 µg/kg	0.008 mg/kg	620 g/kg food

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Process enclosures, local exhaust, general ventilation.

8.2.2 Personal protective equipment

Protective clothing shall be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. All used personal protective equipment should conform Regulation 89/686/EEC.

Eye and face protection - chemical goggles;

Skin protection - protective gloves depending on operation conforming EN 374, protective clothing, boots, cap;

Respiratory protection – in case of fumes discharge use respiratory protection mask with filter A2 conforming EN 133.

8.2.3 Environmental exposure controls

Avoid release to the environment. If it is impossible, substance should be removed safely from the place of leakage. In case of leakage of substance to air or water sources, soil or sewer system, inform relevant authorities about leakage.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	semiplastic material of grey colour
Odour:	characteristic odour of nitroesters
Odour threshold:	not available
pH :	not available
Melting point/freezing point:	not applicable
Initial boiling point and boiling range:	not applicable
Flash point:	not applicable
Evaporation rate:	not applicable
Flammability:	not applicable - explosive
Upper flammability or explosive limits:	not applicable
Lower flammability or explosive limits:	not applicable
Vapour pressure:	not applicable
Vapour density:	not applicable
Relative density:	1.1 g/cm ³
Solubility:	partly soluble in water
Partition coefficient: n-octanol/water:	not available
Auto-ignition temperature:	not applicable - explosive
Decomposition temperature:	not applicable
Viscosity:	not applicable
Explosive properties:	Expl. 1.1
Oxidising properties:	not applicable - explosive

9.2 Other information

Flash point: > 180 °C.
Bulk density: 1.0 g/cm³.
Impact sensitivity: min. 4.5 J.
Partly soluble in organic solvents.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Explosive.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Unknown.

10.4 Conditions to avoid

Temperature above 50 °C, strong impact, friction, direct sun light.

10.5 Incompatible materials

Strong acids and alkalis.

10.6 Hazardous decomposition products

Oxides of nitrogen and carbon.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute toxicity:	Fatal if swallowed (category 3), in contact with skin (category 2) or if inhaled (category 3).
	Glycerol trinitrate LD ₅₀ : 685 mg.kg ⁻¹ , rat, oral
	Glycerol trinitrate LD ₅₀ : >9 mg.kg ⁻¹ , rat, dermal
	Ethyleneglycol dinitrate LD ₅₀ : 616 mg.kg ⁻¹ , rat, oral
	Nitrocellulose LD ₅₀ : >5000 mg.kg ⁻¹ , rat, oral
	Ammonium nitrate LD ₅₀ , oral, rat: 2950 mg.kg ⁻¹
	Trinitrotoluene LD ₅₀ : 795 mg.kg ⁻¹ , rat, oral
Skin corrosion/irritation:	not containing these substances (or less than classification limit)
Serious eye damage/irritation:	Causes serious eye irritation. Eye Irrit. 2; H319
Respiratory or skin sensitisation:	not containing these substances (or less than classification limit)
Germ cell mutagenicity:	not containing these substances (or less than classification limit)
Carcinogenicity:	not containing these substances (or less than classification limit)
Reproductive toxicity:	not containing these substances (or less than classification limit)
STOT-single exposure:	not containing these substances (or less than classification limit)
STOT-repeated exposure:	May cause damage to organs through prolonged or repeated exposure. STOT RE 2; H373
Aspiration hazard :	not containing these substances (or less than classification limit)

11.2 Likely routes of exposure

Through inhalation, skin exposure and ingestion.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Harmful to aquatic life with long lasting effects.

Glycerol trinitrate	LC ₅₀ for fish: 3.48 mg.l ⁻¹
Glycerol trinitrate	LC ₅₀ for invertebrates: 17,83 mg.l ⁻¹ (48 h)
Glycerol trinitrate	EC ₅₀ for algae: 1,15 mg.l ⁻¹ (96 h)
Ethyleneglycol dinitrate	LC ₅₀ for fish: 1.9 mg.l ⁻¹
Trinitrotoluene	LC ₅₀ for fish: 2.4 mg.l ⁻¹

Ammonium nitrate LC₅₀ for fish: 6000 mg.l⁻¹

12.2 Persistence and degradability

Not established.

12.3 Bioaccumulative potential

Not established.

12.4. Mobility in soil

Solubility of ethyleneglycol dinitrate and glycerol trinitrate in water is relatively low (5 – 6.8 g/l respectively 1.4 g/l). Nitrocellulose is practically insoluble in water.

12.5 Results of PBT and vPvB assessment

Assessment was not carried out.

12.6 Other adverse effects

Lack of data.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Substance/mixture: Sweep up spilled material carefully and place in impermeable packages. Flush spill area with plenty of water. Dispose by explosion only in the place approved for disposal of explosives in accordance with national regulations relating to explosives.

Packaging: Packaging without the rest of product must be incinerated only in a hazardous waste incinerator facility under observation of official regulations.

Waste codes / waste designations according to EWC:

16 04 03 N Other waste explosives

SECTION 14: TRANSPORT INFORMATION

14.1 UN number:	0081
14.2 UN proper shipping name:	EXPLOSIVE, BLASTING, TYPE A
14.3 Transport hazard class:	1
14.4 Packing group:	
14.5 Environmental hazards:	no
14.6 Special precautions for user:	no
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	not applicable
14.8 Other applicable information:	
- for ADR/RID	
Classification code:	1.1D
Label:	1
- for IMDG	
EmS	F-B, S-Y
- for IATA	Air transport is forbidden

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Regulations:**

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), in the wording of later regulations

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP), in the wording of later regulations

Dangerous Substances Directive 67/548/EHS

Dangerous Preparations Directive 1999/45/ES

European Waste Catalogue (EWC)

15.2 Chemical safety assessment

Assessment was not carried out.

SECTION 16: OTHER INFORMATION**Changes to the previous version:**

Version 3.0 – Product classified in accordance with Regulation no. 1272/2008/EC.

Version 3.1 - 7.3 Specific end use(s)

Abbreviations:

CAS	Chemical Abstracts Service
EN	European standard
EWC	The European Waste Catalogue
PEL	Permissible Exposure Limit, long-term limit (8 hours)
NPK-P	Maximum allowable concentrations of chemicals in the workplace atmosphere, short-term limit
CLP	Regulation No. 1272/2008/EC
REACH	Regulation No. 1907/2006/EC
PBT	Persistent, bioaccumulative and toxic
vPvB	very persistent and very bioaccumulative
ADR	The European Agreement concerning the International Carriage of Dangerous Goods by Road
RID	Regulations concerning the International Transport of Dangerous Goods by Rail
IMDG	The International Maritime Dangerous Goods
IATA	The International Air Transport Association

Full text of data used for classification:

Acute Tox. 1	Acute toxicity, Category 1
Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment chronic, Category 2
Expl. 1.1	Explosive, Division 1.1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 3	Oxidising solid, Category 3
STOT RE 2	Specific target organ toxicity — repeated exposure, Category 2
Unst. Expl.	Unstable Explosive
H200	Unstable explosives.
H201	Explosive; mass explosion hazard.
H272	May intensify fire; oxidiser.
H300 + H330	Fatal if swallowed or if inhaled
H301+H331	Toxic if swallowed or if inhaled
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled
H310	Fatal in contact with skin.
H319	Causes serious eye irritation.
H373	May cause damage to organs.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Key literature references and sources for data

legislation, chemical databases and tables

Relevant data for classification

The mixture is classified on the basis of the conventional calculation method.

Instructions for training

For handling with the product Safety Regulations shall be elaborated, negotiated with Regional Hygienist. These Regulations shall be available in the workplace. Training by competent person only.

The information provided in this Safety Data Sheet is based on the present state of our knowledge and experience and are intended to describe our product with respect to possible safety demands. The information is not to be considered a warranty of quality specification. Recipients of our product must take responsibility for observing existing laws and regulations.